

Index of Keywords publishing in the Journal of Achievements in Materials and Manufacturing Engineering in 2009 (Vols. 32-37)

ABAQUS finite element code	vol. 37/2 (pp. 556-562)	vol. 35/2 (pp. 129-161)
Abrasion and erosion	vol. 37/2 (pp. 644-651)	vol. 36/1 (pp. 57-78)
Abrasion resistance	vol. 37/2 (pp. 375-380)	vol. 36/2 (pp. 150-183)
Abrasive electrodisscharge grinding	vol. 37/2 (pp. 706-711)	vol. 37/1 (pp. 52-56)
Absorbance	vol. 37/2 (pp. 505-511)	vol. 37/2 (pp. 544-592)
Accidents	vol. 32/1 (pp. 75-80)	vol. 37/2 (pp. 578-583)
Accreditation body	vol. 35/1 (pp. 95-102)	vol. 36/1 (pp. 79-86)
Accredited laboratory	vol. 35/1 (pp. 95-102)	vol. 37/2 (pp. 304-308)
Acoustic characteristic	vol. 36/2 (pp. 168-175)	vol. 33/1 (pp. 35-40)
Acoustic pressure	vol. 34/2 (pp. 157-164)	vol. 35/2 (pp. 121-128)
Actuators	vol. 34/1 (pp. 23-30)	vol. 37/2 (pp. 408-415)
Adaptive neural fuzzy intelligent system	vol. 37/2 (pp. 571-577)	vol. 32/1 (pp. 29-36)
Adhesion	vol. 37/2 (pp. 381-386)	vol. 33/1 (pp. 47-52)
Advanced Quality Practices	vol. 37/2 (pp. 422-427)	vol. 33/1 (pp. 53-61)
AFM microscopy	vol. 35/1 (pp. 87-94)	vol. 34/1 (pp. 55-62)
Aging	vol. 36/1 (pp. 41-48)	vol. 35/1 (pp. 71-78)
AISI 1010 steel	vol. 37/2 (pp. 505-511)	vol. 36/2 (pp. 176-183)
Aluminides	vol. 35/1 (pp. 14-20)	vol. 37/2 (pp. 544-548)
Aluminium	vol. 32/1 (pp. 13-17)	vol. 33/1 (pp. 47-52)
Aluminium alloys	vol. 33/2 (pp. 204-210)	
Aluminium oxide	vol. 34/1 (pp. 95-102)	
Amorphous materials	vol. 37/2 (pp. 309-316)	
Amorphous/crystalline composites	vol. 37/2 (pp. 282-285)	
Anaerobic digestion	vol. 34/1 (pp. 47-54)	
Analysis and modelling	vol. 37/2 (pp. 622-629)	
	vol. 37/1 (pp. 70-77)	
	vol. 34/1 (pp. 15-22)	
	vol. 37/2 (pp. 298-303)	
	vol. 37/2 (pp. 332-339)	
	vol. 37/2 (pp. 532-537)	
	vol. 36/2 (pp. 192-198)	
	vol. 32/1 (pp. 29-45)	
	vol. 33/1 (pp. 47-70)	
	vol. 33/2 (pp. 173-189)	
	vol. 34/1 (pp. 55-70)	
	vol. 34/2 (pp. 145-156)	
	vol. 35/1 (pp. 63-78)	
		Artificial neural networks
		Atmospheric plasma
		Audit
		Austenite and α' - martensite phases
		Austenitic stainless chromium-nickel steel
		vol. 33/1 (pp. 19-26)

Automatic PCB inspection	vol. 34/2 (pp. 145-151)	Cerium	vol. 37/2 (pp. 622-629)
Automation engineering processes	vol. 34/2 (pp. 196-203)	Cermets	vol. 37/2 (pp. 448-457)
B₄C	vol. 37/2 (pp. 428-433)	Charpy test	vol. 33/2 (pp. 150-158)
Ball end milling	vol. 35/1 (pp. 79-86)	Chip - Chunk test	vol. 37/2 (pp. 538-543)
Bearing metrology	vol. 32/1 (pp. 98-102)	CIM	vol. 34/2 (pp. 204-210)
Bimorph system	vol. 35/1 (pp. 63-70)	Cladding	vol. 37/2 (pp. 375-380)
Biogas	vol. 35/2 (pp. 191-196)	Clients' satisfaction	vol. 35/1 (pp. 95-102)
Biogas production	vol. 37/2 (pp. 652-659)	Cluster	vol. 37/1 (pp. 44-47)
Biomaterials	vol. 33/2 (pp. 189-196)	CMSX-6	vol. 32/1 (pp. 66-69)
	vol. 35/2 (pp. 121-128)	CNC machine tool	vol. 37/2 (pp. 578-583)
Biomechanical analysis	vol. 37/2 (pp. 277-281)	Coating	vol. 36/2 (pp. 134-141)
Bologna process	vol. 37/2 (pp. 286-291)	Coating deposition	vol. 37/2 (pp. 304-308)
Bond coat	vol. 37/2 (pp. 340-347)	Coatings PVD	vol. 36/1 (pp. 71-78)
Boriding	vol. 37/2 (pp. 408-415)	Cobalt aluminate	vol. 35/1 (pp. 55-62)
Brass	vol. 37/2 (pp. 563-570)	Cold rolling	vol. 33/1 (pp. 19-26)
Brazing	vol. 33/2 (pp. 189-196)	Cold working	vol. 36/1 (pp. 18-24)
Bulging	vol. 37/2 (pp. 563-570)	Colorimetry	vol. 37/2 (pp. 712-718)
Bulk metallic glasses	vol. 37/2 (pp. 563-570)	Comparability	vol. 37/2 (pp. 759-766)
CAD/CAM	vol. 33/2 (pp. 62-69)	Comparative analysis	vol. 36/1 (pp. 65-70)
Cake	vol. 36/2 (pp. 115-125)	Complex systems	vol. 36/2 (pp. 176-183)
Calculation of Jominy curve	vol. 37/2 (pp. 480-485)	Composite materials	vol. 32/1 (pp. 23-28)
Capillary	vol. 37/2 (pp. 592-597)	Composites	vol. 34/1 (pp. 79-86)
Carbon	vol. 37/2 (pp. 286-291)		vol. 33/1 (pp. 78-85)
Carbon coatings for medicine	vol. 37/2 (pp. 277-281)		vol. 33/2 (pp. 142-149)
Carbon fibre content	vol. 36/1 (pp. 49-56)	Compression test	vol. 34/1 (pp. 31-38)
Carbon fibre-reinforced aluminium	vol. 37/2 (pp. 518-525)	Computational material science and mechanics	vol. 35/1 (pp. 7-13)
Carbonyl iron	vol. 35/2 (pp. 177-183)		vol. 35/2 (pp. 121-128)
Case Based Reasoning	vol. 33/2 (pp. 135-141)	Computational materials science	vol. 35/2 (pp. 177-183)
Cast iron	vol. 36/1 (pp. 7-17)	Computational mechanics	vol. 36/1 (pp. 87-94)
Casting	vol. 34/1 (pp. 95-102)		vol. 36/2 (pp. 126-133)
	vol. 32/1 (pp. 66-69)	Computer assistance in the engineering tasks and scientific research	vol. 37/2 (pp. 408-415)
	vol. 34/1 (pp. 63-70)		vol. 35/2 (pp. 169-176)
	vol. 34/1 (pp. 71-78)		vol. 37/2 (pp. 397-407)
	vol. 34/1 (pp. 95-102)		vol. 32/1 (pp. 37-45)
	vol. 34/2 (pp. 172-179)		
	vol. 34/2 (pp. 188-187)		
	vol. 37/1 (pp. 65-69)		
	vol. 37/2 (pp. 622-629)		
Cathode spots behaviour	vol. 37/2 (pp. 719-725)	Computer simulation	vol. 37/2 (pp. 125-192)
Causes	vol. 32/1 (pp. 75-80)	Computer vision	vol. 34/2 (pp. 152-156)
Central washing system	vol. 33/2 (pp. 197-203)	Conceptual model	vol. 34/2 (pp. 145-151)
Ceramic fibres	vol. 37/2 (pp. 526-531)	Conjugated polymer	vol. 35/1 (pp. 87-94)
Ceramic matrix composites	vol. 37/2 (pp. 428-433)	Conservation	vol. 36/1 (pp. 41-48)
Ceramic preforms	vol. 35/1 (pp. 7-13)	Constructional design	vol. 37/2 (pp. 442-447)
		Continuous improvement	vol. 33/1 (pp. 62-69)
		Continuous system	vol. 33/2 (pp. 181-188)
		Control system	vol. 35/2 (pp. 197-203)
			vol. 33/1 (pp. 47-52)
			vol. 34/1 (pp. 55-62)
			vol. 36/2 (pp. 160-167)

Controller	vol. 36/1 (pp. 57-64)	Duplex stainless steel	vol. 33/2 (pp. 126-134)
Conventional tillage	vol. 35/2 (pp. 184-190)		vol. 37/2 (pp. 387-396)
Copper	vol. 36/2 (pp. 115-125)		vol. 36/2 (pp. 142-149)
Corrosion resistance	vol. 33/2 (pp. 159-165)		vol. 32/2 (pp. 115-141)
Coventor Ware	vol. 36/2 (pp. 126-133)	Duplex steel	vol. 34/1 (pp. 87-94)
Cr(N,C) coatings	vol. 37/2 (pp. 592-597)	Dynamic properties	vol. 37/2 (pp. 397-407)
Crack arrest model	vol. 33/1 (pp. 86-93)	Dynamic recrystallization	
Crack resistance	vol. 37/2 (pp. 544-548)		
Cracking	vol. 36/1 (pp. 25-32)		
Creep	vol. 37/2 (pp. 193-212)		
CrMoN Coating	vol. 35/2 (pp. 154-161)	ECAP process of AlMn1Cu	vol. 35/1 (pp. 21-28)
CrN	vol. 32/2 (pp. 142-153)	alloy	
Cryogenic machining	vol. 37/2 (pp. 369-374)	E-commerce	vol. 32/1 (pp. 92-97)
Crystallization	vol. 37/2 (pp. 498-504)	EDS	vol. 33/1 (pp. 86-93)
Cu-alloys	vol. 34/2 (pp. 180-187)	Education	vol. 37/2 (pp. 751-758)
Curing temperature	vol. 34/1 (pp. 15-22)	Education and research trends	vol. 37/2 (pp. 743-767)
Cutting test	vol. 37/2 (pp. 332-339)	Educational quality	vol. 37/2 (pp. 767-774)
Cu-WC micro-composite	vol. 35/1 (pp. 14-20)	Effect of pasteurization	vol. 33/2 (pp. 197-203)
CVD	vol. 37/2 (pp. 492-497)	Elbow bone fixation nail	vol. 32/1 (pp. 46-52)
Cyclic voltammetry	vol. 36/2 (pp. 134-141)	Electric conductivity	vol. 34/1 (pp. 39-46)
	vol. 32/2 (pp. 171-178)	Electric properties	vol. 34/1 (pp. 39-46)
	vol. 35/2 (pp. 162-168)	Electrical properties	vol. 35/1 (pp. 14-20)
	vol. 37/2 (pp. 486-491)	Electromagnetic field	vol. 37/2 (pp. 486-491)
		Electron microscopy	vol. 34/1 (pp. 95-102)
Dairy	vol. 33/2 (pp. 197-203)		vol. 33/2 (pp. 166-172)
Damage mechanism	vol. 36/1 (pp. 65-70)		vol. 34/2 (pp. 122-129)
Data mining	vol. 33/1 (pp. 94-102)		vol. 37/2 (pp. 304-308)
Degradation	vol. 34/1 (pp. 31-38)		vol. 37/2 (pp. 309-316)
Degradation after creep service	vol. 34/2 (pp. 137-144)	Electrophoresis	vol. 37/2 (pp. 466-479)
Degradation after exposure test	vol. 34/1 (pp. 7-14)	Element deletion method	vol. 37/2 (pp. 592-597)
Dependent function	vol. 37/2 (pp. 571-577)	Energy of spark	vol. 35/2 (pp. 154-161)
Deposition rate	vol. 35/1 (pp. 29-36)	Energy plants	vol. 37/2 (pp. 706-711)
Depth of cutting	vol. 34/1 (pp. 87-94)	Energy release rate	vol. 37/2 (pp. 652-659)
Development in the field of materials	vol. 34/2 (pp. 165-171)	Energy saving	vol. 37/2 (pp. 544-548)
DFMA	vol. 34/2 (pp. 204-210)	Engineering design	vol. 33/2 (pp. 197-203)
Diagnostic	vol. 37/2 (pp. 730-734)	Engineering materials	vol. 33/2 (pp. 181-188)
Diamond	vol. 37/2 (pp. 292-297)	Engineering polymers	vol. 33/2 (pp. 142-149)
Diamond films	vol. 37/2 (pp. 264-269)		vol. 37/2 (pp. 598-606)
Dielectric properties	vol. 37/2 (pp. 486-491)	Entrepreneurship	vol. 33/1 (pp. 27-34)
Dielectric spectroscopy	vol. 37/1 (pp. 44-47)	Environmental management	vol. 35/1 (pp. 29-36)
Direct seeding	vol. 37/1 (pp. 24-27)	Erodent speed	vol. 35/2 (pp. 121-128)
Discrete systems	vol. 35/2 (pp. 184-190)	Erosion rate	vol. 37/2 (pp. 361-368)
Dispersion hardening	vol. 34/2 (pp. 196-203)	Erosive wear	vol. 37/2 (pp. 408-415)
DLC	vol. 32/2 (pp. 171-178)	Erp	vol. 32/1 (pp. 92-97)
DLC layers	vol. 37/2 (pp. 286-291)	European higher education area	vol. 35/2 (pp. 204-210)
Drilling test	vol. 37/2 (pp. 381-386)	Eutectic solidification	vol. 32/1 (pp. 18-22)
Drop transfer modes	vol. 37/2 (pp. 726-725)	Evaluation methods for pitting corrosion	vol. 32/1 (pp. 18-22)
Drug delivery	vol. 37/2 (pp. 512-517)	Exact and approximate methods	vol. 32/1 (pp. 18-22)
Dry matter yield	vol. 33/1 (pp. 86-93)	Execution planning	vol. 33/1 (pp. 94-102)
Ductility	vol. 32/2 (pp. 196-202)	External pressure	vol. 37/2 (pp. 759-766)
	vol. 37/1 (pp. 78-102)		vol. 34/1 (pp. 71-78)
	vol. 35/2 (pp. 184-190)		vol. 34/2 (pp. 115-121)
	vol. 36/2 (pp. 142-149)		vol. 34/1 (pp. 55-62)
			vol. 37/1 (pp. 52-56)
			vol. 33/1 (pp. 35-40)

Fabry-Pérot interferometer	vol. 37/2 (pp. 270-276)		Hardness	vol. 33/1 (pp. 35-40)
Fatigue	vol. 33/1 (pp. 53-61)			vol. 33/2 (pp. 150-158)
Fatigue degradation	vol. 36/2 (pp. 168-175)			vol. 34/1 (pp. 7-14)
Fatigue life	vol. 32/1 (pp. 13-17)			vol. 35/1 (pp. 21-28)
FEM	vol. 35/2 (pp. 146-153)			vol. 37/2 (pp. 369-374)
FEM analysis	vol. 37/1 (pp. 48-51)		Heat loads	vol. 35/2 (pp. 146-153)
Fermentor	vol. 37/2 (pp. 652-659)		Heat treatment	vol. 32/1 (pp. 53-60)
Ferroelectric	vol. 37/1 (pp. 44-47)			vol. 32/1 (pp. 7-12)
Ferroelectrics	vol. 37/1 (pp. 24-27)			vol. 32/2 (pp. 162-170)
FGM	vol. 34/1 (pp. 79-86)			vol. 32/2 (pp. 203-210)
	vol. 36/1 (pp. 33-40)			vol. 33/1 (pp. 7-18)
	vol. 36/1 (pp. 71-78)			vol. 34/2 (pp. 152-156)
Fibre reinforcement	vol. 37/2 (pp. 526-531)			vol. 35/2 (pp. 115-120)
Film growth	vol. 37/2 (pp. 416-421)			vol. 36/2 (pp. 142-149)
Finite Element Method	vol. 36/1 (pp. 71-78)			vol. 37/2 (pp. 238-257)
	vol. 37/2 (pp. 584-591)			vol. 37/2 (pp. 369-374)
Finite element technique	vol. 35/2 (pp. 154-161)			vol. 37/2 (pp. 622-629)
Finite Elements Model	vol. 33/2 (pp. 173-180)			vol. 37/2 (pp. 264-269)
	vol. 36/1 (pp. 65-70)			vol. 36/1 (pp. 18-24)
Fire resistant	vol. 37/2 (pp. 492-497)			vol. 37/1 (pp. 57-64)
Flexible coordination number	vol. 33/1 (pp. 35-40)			
FMEA	vol. 32/1 (pp. 81-91)			vol. 37/2 (pp. 617-621)
Foresight	vol. 34/2 (pp. 165-171)			vol. 34/2 (pp. 180-187)
Fractal dimension	vol. 33/2 (pp. 115-125)			
Fracture characteristics	vol. 32/2 (pp. 179-187)			vol. 37/2 (pp. 492-497)
Fracture mechanics	vol. 32/2 (pp. 162-170)			vol. 37/2 (pp. 397-407)
Fracture toughness	vol. 33/2 (pp. 150-158)			vol. 33/2 (pp. 159-165)
	vol. 34/2 (pp. 152-156)			vol. 37/2 (pp. 213-237)
Frequency domainv weld stability	vol. 34/2 (pp. 157-164)			vol. 37/2 (pp. 193-212)
Friction and wear	vol. 37/2 (pp. 660-667)			vol. 37/2 (pp. 730-734)
Friction coefficient	vol. 37/2 (pp. 381386)			vol. 32/1 (pp. 61-65)
Friction-induced cross-linking	vol. 37/2 (pp. 458-465)			vol. 32/2 (pp. 154-161)
FTIR spectroscopy	vol. 37/2 (pp. 258-263)			vol. 37/2 (pp. 428-433)
Functional materials	vol. 33/1 (pp. 7-18)			vol. 32/1 (pp. 53-60)
Functionalization	vol. 37/2 (pp. 258-263)			vol. 36/2 (pp. 115-125)
Furnace	vol. 37/2 (pp. 348-353)			vol. 37/2 (pp. 397-407)
Fuzzy logic	vol. 36/2 (pp. 115-125)			vol. 37/2 (pp. 317-322)
	vol. 37/2 (pp. 571-577)			vol. 36/2 (pp. 207-210)
Genetic algorithm	vol. 33/1 (pp. 70-77)			vol. 37/2 (pp. 775-778)
GMAW	vol. 34/2 (pp. 157-164)			vol. 37/2 (pp. 660-667)
Gradient materials	vol. 32/1 (pp. 23-28)			vol. 37/2 (pp. 193-212)
Gradient tool materials	vol. 37/2 (pp. 213-237)			vol. 36/1 (pp. 25-32)
Grain refinement	vol. 34/1 (pp. 71-78)			
Grain size	vol. 35/1 (pp. 55-62)			
Graph	vol. 34/2 (pp. 130-136)			
Grossmann method	vol. 35/1 (pp. 63-70)			
Group of agents	vol. 37/2 (pp. 480-485)			
Hard coal	vol. 37/1 (pp. 52-56)			
Hard nanocomposite films	vol. 33/2 (pp. 142-149)			
Hardenability	vol. 37/2 (pp. 416-421)			
Hardening	vol. 37/2 (pp. 480-485)			
	vol. 37/2 (pp. 480-485)			
	vol. 35/2 (pp. 115-120)			
			IBAD	vol. 37/1 (pp. 87-102)
			Illumination normalization	vol. 34/2 (pp. 145-151)
			Image analysis	vol. 32/2 (pp. 142-153)
			Impact energy	vol. 37/2 (pp. 125-192)
			Impact toughness	vol. 34/1 (pp. 7-14)
			Impingement angle	vol. 36/2 (pp. 142-149)
			Improvement	vol. 32/1 (pp. 18-22)
			Improvement of process	vol. 37/2 (pp. 751-758)
			Industrial classification	vol. 37/2 (pp. 735-742)
				vol. 36/2 (pp. 207-210)

Industrial management and organisation	vol. 32/1 (pp. 81-102)	Machines Machining	vol. 37/2 (pp. 698-705) vol. 34/1 (pp. 87-94) vol. 35/1 (pp. 79-86) vol. 36/1 (pp. 79-86) vol. 37/2 (pp. 706-711) vol. 36/2 (pp. 160-167) vol. 37/1 (pp. 57-64) vol. 32/1 (pp. 7-12) vol. 32/2 (pp. 179-187) vol. 32/2 (pp. 203-210) vol. 35/1 (pp. 37-46) vol. 37/1 (pp. 70-77) vol. 37/2 (pp. 549-555) vol. 37/2 (pp. 238-257) vol. 37/1 (pp. 7-14) vol. 37/2 (pp. 675-689) vol. 33/2 (pp. 135-141) vol. 33/2 (pp. 135-141)
Industrial networks	vol. 33/1 (pp. 94-102)	Madheader	vol. 37/2 (pp. 735-742)
Influence of geometry	vol. 34/2 (pp. 204-210)	Magnesium alloys	vol. 36/1 (pp. 57-64)
Infrared	vol. 35/1 (pp. 87-102)	Magnesium cast alloys	vol. 33/1 (pp. 41-46)
Injection moulding	vol. 35/2 (pp. 197-210)	Magnetic properties	vol. 36/2 (pp. 115-125)
Innovation	vol. 36/1 (pp. 95-102)	Magnetic sensor	vol. 37/2 (pp. 598-606)
Instability	vol. 36/2 (pp. 199-210)	Magnetorheological materials	vol. 32/1 (pp. 92-97)
Integrated management systems	vol. 37/2 (pp. 735-742)	Magnetorheological properties	vol. 35/2 (pp. 197-203)
Intelligent Decision Support System	vol. 36/1 (pp. 57-64)	Magnetostriction	vol. 35/2 (pp. 154-161)
Intergranular fracture	vol. 33/1 (pp. 41-46)	Magnetostrictive composite materials	vol. 35/2 (pp. 204-210)
Intermetallic phases	vol. 33/1 (pp. 41-46)	Magnetron sputtering	vol. 33/1 (pp. 94-102)
Inverse Stefan Problem	vol. 34/1 (pp. 63-70)	Management	vol. 33/1 (pp. 19-26)
Ion bombardment	vol. 33/1 (pp. 70-77)	Manufacturing and mechanical engineering	vol. 33/1 (pp. 78-85)
Ion nitriding	vol. 37/2 (pp. 416-421)	Manufacturing and processing	vol. 34/1 (pp. 63-70)
	vol. 37/2 (pp. 690-693)		vol. 33/1 (pp. 70-77)
	vol. 37/2 (pp. 694-697)		vol. 37/2 (pp. 354-360)
Johnson-Cook (JC) material	vol. 37/2 (pp. 556-562)		vol. 37/2 (pp. 726-729)
Jominy test	vol. 37/2 (pp. 480-485)		vol. 32/1 (pp. 75-80)
Joule heating	vol. 37/2 (pp. 592-597)		vol. 34/2 (pp. 165-171)
Kaizen ide	vol. 35/2 (pp. 197-203)		vol. 32/1 (pp. 46-80)
Klystron pulse	vol. 37/2 (pp. 775-778)		vol. 32/2 (pp. 203-210)
Laminates with holes	vol. 33/1 (pp. 41-46)	Manufacturing performance	vol. 33/1 (pp. 78-86)
Laser	vol. 33/1 (pp. 78-85)	Mastitis	vol. 33/2 (pp. 197-203)
Laser alloying	vol. 37/2 (pp. 639-638)	Materials	vol. 34/1 (pp. 71-102)
Laser melting	vol. 37/2 (pp. 617-621)		vol. 34/2 (pp. 157-203)
Laser remelting	vol. 32/1 (pp. 53-60)		vol. 35/1 (pp. 79-86)
Laser treatment	vol. 37/2 (pp. 617-621)		vol. 35/2 (pp. 162-196)
Lateral extrusion	vol. 32/1 (pp. 7-12)		vol. 36/1 (pp. 79-94)
LCVD	vol. 37/1 (pp. 57-64)		vol. 36/2 (pp. 184-198)
Lean Six Sigma	vol. 37/1 (pp. 70-77)		vol. 37/1 (pp. 57-102)
LENS technology	vol. 32/1 (pp. 61-65)		vol. 37/2 (pp. 598-730)
Lightweight	vol. 36/1 (pp. 41-48)		vol. 35/1 (pp. 87-94)
Linear electron accelerator	vol. 34/2 (pp. 204-210)		vol. 34/1 (pp. 39-46)
Longitudinal vibrations	vol. 32/1 (pp. 46-52)		vol. 32/1 (pp. 7-12)
Low friction	vol. 37/2 (pp. 492-497)		vol. 32/2 (pp. 115-171)
Low-alloy steel	vol. 37/2 (pp. 775-778)		vol. 33/1 (pp. 7-27)
	vol. 32/1 (pp. 29-36)		vol. 33/1 (pp. 62-69)
	vol. 37/2 (pp. 354-360)		vol. 33/2 (pp. 126-142)
	vol. 37/2 (pp. 690-693)		vol. 34/1 (pp. 7-38)
		MC MgAl16Zn1	vol. 34/2 (pp. 115-129)
			vol. 35/1 (pp. 7-36)
			vol. 35/2 (pp. 115-120)
			vol. 36/1 (pp. 7-24)
			vol. 36/2 (pp. 115-133)
			vol. 37/1 (pp. 7-23)
			vol. 37/2 (pp. 213-237)
			vol. 37/2 (pp. 258-369)
			vol. 37/2 (pp. 532-537)
			vol. 37/1 (pp. 65-69)

Mechanical and thermal properties	vol. 37/2 (pp. 361-368)	Methodology of research	vol. 32/2 (pp. 196-202)
Mechanical phosphate strength	vol. 37/2 (pp. 458-465)		vol. 33/1 (pp. 41-46)
Mechanical properties	vol. 32/1 (pp. 37-45) vol. 32/2 (pp. 162-170) vol. 32/2 (pp. 171-178) vol. 32/2 (pp. 179-187) vol. 32/2 (pp. 188-195) vol. 32/2 (pp. 203-210) vol. 33/1 (pp. 27-34) vol. 33/2 (pp. 166-172) vol. 34/1 (pp. 7-14) vol. 34/1 (pp. 47-54) vol. 34/1 (pp. 87-94) vol. 34/2 (pp. 122-129) vol. 34/2 (pp. 130-136) vol. 34/2 (pp. 137-144) vol. 35/1 (pp. 14-20) vol. 35/1 (pp. 37-46) vol. 35/1 (pp. 47-54) vol. 35/1 (pp. 55-62) vol. 35/2 (pp. 115-120) vol. 37/1 (pp. 36-43) vol. 37/2 (pp. 340-347) vol. 37/2 (pp. 416-421) vol. 37/2 (pp. 448-457) vol. 37/2 (pp. 466-479) vol. 37/2 (pp. 498-504) vol. 37/2 (pp. 549-555) vol. 37/2 (pp. 563-570)	Microbe Micro-fabrication Micro-hardness Microstructural stability Microstructure	vol. 33/2 (pp. 166-172) vol. 37/1 (pp. 48-51) vol. 37/2 (pp. 538-543) vol. 37/2 (pp. 639-643) vol. 37/2 (pp. 639-643) vol. 35/2 (pp. 162-168) vol. 33/2 (pp. 204-210) vol. 32/2 (pp. 154-161) vol. 33/1 (pp. 86-93) vol. 33/2 (pp. 150-158) vol. 34/2 (pp. 122-129) vol. 34/2 (pp. 152-156) vol. 37/1 (pp. 15-23) vol. 37/2 (pp. 323-339) vol. 37/2 (pp. 416-421) vol. 37/2 (pp. 448-457) vol. 32/2 (pp. 115-141)
Mechanical properties of bones		Microstructure Properties and Testing of welded joints	vol. 34/1 (pp. 39-46)
Mechanisms of fracture	vol. 33/2 (pp. 150-158)	Milk	vol. 35/2 (pp. 191-196)
Melt spinning	vol. 37/2 (pp. 532-537)	Mini digester	vol. 36/2 (pp. 192-198)
Melting	vol. 32/1 (pp. 7-12)	Miscibility gap	vol. 37/2 (pp. 532-537)
Metabolit	vol. 37/2 (pp. 639-643)	Mistake proofing	vol. 36/1 (pp. 95-102)
Metal deposition	vol. 37/2 (pp. 639-643)	Mistblower	vol. 37/2 (pp. 698-705)
Metallic alloys	vol. 32/2 (pp. 154-161) vol. 32/2 (pp. 162-170) vol. 33/1 (pp. 7-18) vol. 33/1 (pp. 19-26) vol. 33/1 (pp. 53-61) vol. 34/2 (pp. 115-121) vol. 34/2 (pp. 122-129) vol. 35/1 (pp. 14-20) vol. 35/2 (pp. 169-176) vol. 36/1 (pp. 18-24) vol. 36/2 (pp. 115-125) vol. 37/2 (pp. 309-316) vol. 37/2 (pp. 340-347)	Modern medical implants Modification MRR MTT test Multibody systems Multifractal spectrum Multilaminar structure Multilayers Multiple injection moulding	vol. 32/1 (pp. 46-52) vol. 34/1 (pp. 71-78) vol. 32/1 (pp. 70-74) vol. 37/2 (pp. 317-322) vol. 32/1 (pp. 29-36) vol. 33/2 (pp. 115-125) vol. 37/2 (pp. 598-606) vol. 37/2 (pp. 668-674) vol. 37/2 (pp. 361-368)
Metallography	vol. 33/1 (pp. 7-18) vol. 33/1 (pp. 62-69) vol. 33/2 (pp. 166-172) vol. 37/2 (pp. 466-479)	NaCl solution Nanocomposite Nanocrystalline powder Nanodiamond Nanodiamond particles Nanodiamonds Nanoindentation Nanomaterials	vol. 33/2 (pp. 159-165) vol. 37/2 (pp. 354-360) vol. 36/2 (pp. 126-133) vol. 37/2 (pp. 348-353) vol. 37/2 (pp. 779-784) vol. 37/2 (pp. 317-322) vol. 37/2 (pp. 258-263) vol. 37/1 (pp. 87-102) vol. 37/2 (pp. 644-651) vol. 37/2 (pp. 258-263) vol. 37/2 (pp. 264-269) vol. 37/2 (pp. 270-276) vol. 37/2 (pp. 277-281) vol. 37/2 (pp. 317-322) vol. 37/2 (pp. 348-353)
Meteorite	vol. 37/2 (pp. 292-297)	Nano-silica Nanostructure Nanostructured carbon NCD Near-dry machining Negotiations	vol. 37/2 (pp. 694-697) vol. 32/2 (pp. 171-178) vol. 37/2 (pp. 348-353) vol. 37/2 (pp. 348-353) vol. 34/2 (pp. 180-187) vol. 37/1 (pp. 52-56)
Method of Averaging Quality Groups of Rating	vol. 37/2 (pp. 767-774)		

Neural networks	vol. 37/2 (pp. 549-555)	Piston	vol. 35/2 (pp. 146-153)
New product failure	vol. 32/1 (pp. 81-91)	Pitting corrosion	vol. 34/2 (pp. 115-121)
Nickel superalloys	vol. 35/1 (pp. 55-62)	Plant biomass	vol. 35/2 (pp. 191-196)
Nitrided layer design	vol. 37/2 (pp. 675-689)	Plasma	vol. 37/2 (pp. 348-353)
Nitriding process	vol. 37/2 (pp. 675-689)	Plasma assisted nitriding	vol. 36/1 (pp. 25-32)
Noble gases	vol. 37/2 (pp. 779-784)	Plasma jet	vol. 37/2 (pp. 730-729)
Non-destructive testing	vol. 34/1 (pp. 31-38)	Plasma nitriding	vol. 37/2 (pp. 434-441)
	vol. 36/1 (pp. 49-56)	Plasma treatment	vol. 37/2 (pp. 526-531)
Notch strength	vol. 37/2 (pp. 518-525)	Plastic deformation	vol. 33/1 (pp. 19-26)
Nuclear recoil	vol. 33/1 (pp. 41-46)	Plastic forming	vol. 35/1 (pp. 21-28)
Nucleosynthesis	vol. 37/2 (pp. 779-784)	Plug assisted cup forming	vol. 37/2 (pp. 556-562)
Numerical analysis	vol. 37/2 (pp. 779-784)	Poka-Yoke method	vol. 36/1 (pp. 95-102)
Numerical models	vol. 37/2 (pp. 563-570)	Polar graphs	vol. 35/2 (pp. 129-137)
Numerical simulations	vol. 34/1 (pp. 31-38)	Polycrystalline	vol. 37/1 (pp. 24-27)
Numerical techniques	vol. 37/2 (pp. 592-597)	Polycrystalline silicon	vol. 37/2 (pp. 607-616)
	vol. 33/2 (pp. 189-196)	Polyester biomaterials	vol. 35/1 (pp. 47-54)
Occupational health and safety management	vol. 35/1 (pp. 71-78)	Polymer	vol. 36/2 (pp. 126-133)
Occupational risk assessment	vol. 35/2 (pp. 138-145)	Polymer composites	vol. 37/2 (pp. 598-606)
Open-architecture control	vol. 35/2 (pp. 146-153)	Polymer materials	vol. 36/2 (pp. 168-175)
Optical 3D-Measuring System MicroCAD	vol. 36/2 (pp. 160-167)	Polyurethane	vol. 37/2 (pp. 286-291)
Optical properties	vol. 36/2 (pp. 168-175)	Position loop gain	vol. 37/2 (pp. 578-583)
Out-of-roundness	vol. 36/2 (pp. 176-183)	Potentiodynamic tests	vol. 33/2 (pp. 159-165)
Oxad-Si	vol. 37/1 (pp. 48-51)	Powder Injection Moulding	vol. 37/2 (pp. 584-591)
	vol. 37/2 (pp. 549-555)	Powder metallurgy	vol. 33/2 (pp. 126-134)
Paraconsistent logic	vol. 37/2 (pp. 578-583)		vol. 36/1 (pp. 33-40)
Parylene coatings	vol. 35/2 (pp. 204-210)		vol. 36/1 (pp. 87-94)
Parylene process			vol. 37/1 (pp. 28-35)
Parylene technology			vol. 37/2 (pp. 387-386)
Pattern of Criterial Model of the Evaluation of Quality			vol. 37/2 (pp. 630-638)
University			vol. 32/1 (pp. 7-12)
PDCA cycle			vol. 35/1 (pp. 14-20)
PECVD method			vol. 37/2 (pp. 282-285)
Pedestrian safety system			vol. 37/2 (pp. 779-784)
Permeability			vol. 35/2 (pp. 177-183)
Phase transitions			vol. 37/2 (pp. 743-750)
Phases morphology			vol. 35/1 (pp. 63-70)
Photovoltaic			vol. 35/2 (pp. 129-137)
Photovoltaic module			vol. 37/2 (pp. 675-689)
Piezoelectric ceramics			vol. 35/1 (pp. 87-94)
Piezoelectric plate			vol. 33/1 (pp. 94-102)
		Product quality	vol. 33/1 (pp. 94-102)
		Productivity and performance management	vol. 33/1 (pp. 94-102)
		Project analysis	vol. 32/1 (pp. 13-23, 98-102)
		Project management	vol. 32/2 (pp. 179-188)
		Properties	vol. 33/1 (pp. 35-40)
			vol. 33/2 (pp. 150-159)
			vol. 34/1 (pp. 39-54)
			vol. 34/2 (pp. 130-144)
			vol. 35/1 (pp. 37-62)
			vol. 35/2 (pp. 121-128)
			vol. 36/1 (pp. 25-56)
			vol. 36/2 (pp. 134-149)
			vol. 37/1 (pp. 24-47)
			vol. 37/2 (pp. 375-532)
		Protective coatings (TiCN, TiN, DLC)	vol. 37/2 (pp. 422-727)
		Pulmonary	vol. 37/1 (pp. 78-102)
		Pulse magnetron sputtering	vol. 37/2 (pp. 416-421)

PVD	vol. 34/1 (pp. 79-86) vol. 35/2 (pp. 162-168) vol. 37/2 (pp. 498-504)	Sericin Series of types	vol. 37/1 (pp. 78-102) vol. 36/2 (pp. 150-159) vol. 33/2 (pp. 181-188) vol. 37/2 (pp. 578-583) vol. 33/2 (pp. 166-172) vol. 37/2 (pp. 466-479) vol. 33/2 (pp. 173-180) vol. 37/2 (pp. 428-433) vol. 35/2 (pp. 184-190) vol. 37/2 (pp. 492-497) vol. 37/2 (pp. 598-606) vol. 35/2 (pp. 121-128) vol. 37/2 (pp. 408-415) vol. 32/1 (pp. 66-69) vol. 36/2 (pp. 134-141) vol. 33/2 (pp. 126-134) vol. 37/1 (pp. 28-35) vol. 37/2 (pp. 630-638) vol. 32/1 (pp. 23-28) vol. 34/1 (pp. 79-86) vol. 34/2 (pp. 130-136) vol. 36/1 (pp. 87-94) vol. 37/1 (pp. 28-35) vol. 37/2 (pp. 213-237) vol. 37/2 (pp. 387-396) vol. 37/2 (pp. 630-638) vol. 37/2 (pp. 282-285) vol. 34/1 (pp. 23-30) vol. 33/2 (pp. 135-141) vol. 34/1 (pp. 23-30) vol. 37/1 (pp. 7-14) vol. 34/1 (pp. 15-22) vol. 37/2 (pp. 332-339) vol. 35/2 (pp. 184-190) vol. 37/2 (pp. 607-616) vol. 37/1 (pp. 44-47) vol. 33/1 (pp. 70-77) vol. 34/1 (pp. 39-46) vol. 32/1 (pp. 98-102) vol. 35/2 (pp. 154-161) vol. 33/1 (pp. 35-40) vol. 37/2 (pp. 505-511) vol. 37/1 (pp. 78-102) vol. 37/2 (pp. 698-705) vol. 37/2 (pp. 397-407) vol. 36/2 (pp. 207-210) vol. 32/2 (pp. 142-153) vol. 37/1 (pp. 48-51) vol. 36/1 (pp. 71-78) vol. 37/2 (pp. 448-457) vol. 34/2 (pp. 172-179) vol. 35/2 (pp. 129-137) vol. 34/1 (pp. 15-22) vol. 35/2 (pp. 138-145) vol. 32/1 (pp. 7-12) vol. 32/2 (pp. 142-153) vol. 34/1 (pp. 7-14) vol. 34/1 (pp. 47-54) vol. 35/1 (pp. 21-28)
Quality assurance	vol. 37/2 (pp. 759-766)	Shock absorber	vol. 33/2 (pp. 173-180)
Quality Assurance System	vol. 37/2 (pp. 751-758)	SiC	vol. 37/2 (pp. 428-433)
Quality improvement	vol. 36/2 (pp. 199-206)	Silage corn	vol. 35/2 (pp. 184-190)
Quality management	vol. 35/2 (pp. 204-210)	Silica-based geopolymers	vol. 37/2 (pp. 492-497)
	vol. 36/1 (pp. 95-102)	Silicates	vol. 37/2 (pp. 598-606)
	vol. 36/2 (pp. 199-206)	Silicone	vol. 35/2 (pp. 121-128)
	vol. 37/2 (pp. 743-750)	Single crystal	vol. 37/2 (pp. 408-415)
	vol. 37/2 (pp. 767-774)	Sintered tool materials	vol. 32/1 (pp. 66-69)
Quality Management System	vol. 37/2 (pp. 751-758)	Sinter-hardening	vol. 36/2 (pp. 134-141)
Quality of education	vol. 37/2 (pp. 743-750)	Sintering	vol. 33/2 (pp. 126-134)
Quality of university	vol. 37/2 (pp. 767-774)		vol. 37/1 (pp. 28-35)
Quality System	vol. 34/2 (pp. 204-210)		vol. 37/2 (pp. 630-638)
Quenching	vol. 35/2 (pp. 115-120)		vol. 32/1 (pp. 23-28)
Questionnaire survey	vol. 35/1 (pp. 87-94)		vol. 34/1 (pp. 79-86)
Radial clearance	vol. 32/1 (pp. 98-102)		vol. 34/2 (pp. 130-136)
Raman Imaging	vol. 37/2 (pp. 292-297)		vol. 36/1 (pp. 87-94)
Raman spectra	vol. 37/2 (pp. 270-276)		vol. 37/1 (pp. 28-35)
Raman spectroscopy	vol. 37/2 (pp. 726-729)		vol. 37/2 (pp. 213-237)
Rapid prototyping	vol. 32/1 (pp. 46-52)		vol. 37/2 (pp. 387-396)
Real time	vol. 37/1 (pp. 52-56)		vol. 37/2 (pp. 630-638)
Recognition	vol. 37/2 (pp. 759-766)		vol. 37/2 (pp. 282-285)
Recrystallization	vol. 32/2 (pp. 154-161)		vol. 34/1 (pp. 23-30)
Recycling	vol. 37/2 (pp. 361-368)		vol. 33/2 (pp. 135-141)
Reduction of vibrations	vol. 35/2 (pp. 129-137)		vol. 34/1 (pp. 23-30)
Relaxor	vol. 37/1 (pp. 24-27)		vol. 37/1 (pp. 7-14)
Research	vol. 37/2 (pp. 751-758)		vol. 34/1 (pp. 15-22)
Residual life	vol. 34/2 (pp. 137-144)		vol. 37/2 (pp. 332-339)
Residual macro-stresses	vol. 35/2 (pp. 162-168)		vol. 35/2 (pp. 184-190)
Resistance	vol. 37/2 (pp. 644-651)		vol. 37/2 (pp. 607-616)
Results	vol. 32/1 (pp. 75-80)		vol. 37/1 (pp. 44-47)
Retained austenite	vol. 35/2 (pp. 169-176)		vol. 33/1 (pp. 70-77)
Rietveld method	vol. 35/2 (pp. 169-176)		vol. 34/1 (pp. 39-46)
Risk evaluation	vol. 32/1 (pp. 81-91)		vol. 32/1 (pp. 98-102)
Risk management	vol. 32/1 (pp. 81-91)		vol. 35/2 (pp. 154-161)
Robotics	vol. 34/2 (pp. 196-203)		vol. 33/1 (pp. 35-40)
Robotized surfacing	vol. 37/2 (pp. 644-651)		vol. 37/2 (pp. 505-511)
Roughness	vol. 37/2 (pp. 238-257)		vol. 37/1 (pp. 78-102)
	vol. 37/2 (pp. 571-577)		vol. 37/2 (pp. 698-705)
Rubber	vol. 37/2 (pp. 538-543)		vol. 37/2 (pp. 397-407)
Rubber composites	vol. 36/1 (pp. 65-70)		vol. 36/2 (pp. 207-210)
Rubber mixture	vol. 37/2 (pp. 538-543)		vol. 32/2 (pp. 142-153)
			vol. 37/1 (pp. 48-51)
			vol. 36/1 (pp. 71-78)
			vol. 37/2 (pp. 448-457)
SAW	vol. 36/2 (pp. 184-191)	Strip	vol. 34/2 (pp. 172-179)
Scanning electron microscope	vol. 37/2 (pp. 238-257)	Structural numbers	vol. 35/2 (pp. 129-137)
Scratch test	vol. 35/2 (pp. 162-168)	Structural relaxation	vol. 34/1 (pp. 15-22)
	vol. 37/2 (pp. 498-504)	Structural steels	vol. 35/2 (pp. 138-145)
Segmentation of solder joints	vol. 33/1 (pp. 86-93)	Structure	vol. 32/1 (pp. 7-12)
SEM	vol. 34/2 (pp. 145-151)		vol. 32/2 (pp. 142-153)
Semi-solid alloys	vol. 36/1 (pp. 33-40)		vol. 34/1 (pp. 7-14)
Sequential operation	vol. 34/2 (pp. 188-187)		vol. 34/1 (pp. 47-54)
	vol. 34/2 (pp. 196-203)	Structure analysis	vol. 35/1 (pp. 21-28)

Structure and fracture analysis	vol. 35/1 (pp. 37-46)	Thermal analysis – Universal Metallurgical Simulator and Analyzer (UMSA) and AITAP Technology Platforms	vol. 36/1 (pp. 7-17)
Structure and mechanical properties	vol. 33/1 (pp. 19-26)	Thermal barrier	vol. 37/1 (pp. 15-23)
Structure and morphology	vol. 37/2 (pp. 304-308)	Thermal conductivity	vol. 37/2 (pp. 323-339)
Structure phase analysis	vol. 34/2 (pp. 137-144)	Thermal diffusivity	vol. 37/2 (pp. 512-517)
Structure stability	vol. 32/2 (pp. 171-178)	Thermo analysis	vol. 36/1 (pp. 49-56)
Structured cast steel	vol. 37/2 (pp. 480-485)	Thermo-chemical treatment	vol. 37/2 (pp. 518-525)
Superalloys	vol. 32/1 (pp. 66-69)	Thermograms	vol. 34/1 (pp. 47-54)
Super-ferrite	vol. 36/2 (pp. 184-191)	Thermo-mechanical processing	vol. 37/2 (pp. 309-316)
Surface engineering	vol. 34/2 (pp. 165-171)	Thermovision	vol. 37/2 (pp. 675-689)
Surface modification	vol. 35/1 (pp. 55-62)	Thin and thick coatings	vol. 36/2 (pp. 115-125)
Surface morphology	vol. 37/2 (pp. 369-374)	Thin films	vol. 33/2 (pp. 159-165)
Surface roughness	vol. 35/1 (pp. 79-86)	Thin films morphology	vol. 35/2 (pp. 169-176)
	vol. 37/2 (pp. 706-711)	Thin layers	vol. 36/2 (pp. 115-125)
Surface treatment	vol. 32/1 (pp. 53-60)	Thixoability	vol. 37/1 (pp. 36-43)
	vol. 37/1 (pp. 36-43)	Thixoforming	vol. 37/2 (pp. 125-192)
	vol. 37/1 (pp. 70-77)	Tikhonov regularization	vol. 37/2 (pp. 277-281)
	vol. 37/2 (pp. 238-257)	Time domain	vol. 37/2 (pp. 298-303)
	vol. 37/2 (pp. 660-667)	(Ti, Cr)C/a-C(:H)	vol. 37/2 (pp. 712-718)
	vol. 37/2 (pp. 668-674)	TiO ₂ thin films	vol. 37/2 (pp. 719-725)
	vol. 37/2 (pp. 690-693)	Ti–Si–C system	vol. 33/2 (pp. 204-203)
	vol. 37/2 (pp. 694-697)	Titanium	vol. 35/1 (pp. 29-36)
	vol. 37/2 (pp. 434-441)		vol. 37/1 (pp. 87-102)
Surfacing	vol. 36/2 (pp. 184-191)		vol. 37/2 (pp. 505-511)
Sustainable development	vol. 34/2 (pp. 180-187)		vol. 37/2 (pp. 512-517)
Sustainable manufacturing	vol. 34/2 (pp. 180-187)		vol. 34/2 (pp. 188-187)
Swagelining	vol. 33/1 (pp. 27-34)		vol. 34/2 (pp. 188-187)
			vol. 33/1 (pp. 70-77)
			vol. 34/2 (pp. 157-164)
Tailored blank	vol. 32/1 (pp. 61-65)		vol. 37/2 (pp. 354-360)
Tantalum carbide	vol. 37/2 (pp. 617-621)		vol. 37/2 (pp. 298-303)
Td _{0.3} Dy _{0.7} Fe _{1.9}	vol. 37/1 (pp. 7-14)		vol. 37/1 (pp. 87-102)
Technological design	vol. 36/2 (pp. 150-159)		vol. 37/1 (pp. 15-23)
Technological devices and equipment	vol. 33/2 (pp. 197-203)		vol. 37/2 (pp. 323-339)
			vol. 37/2 (pp. 719-725)
			vol. 32/1 (pp. 46-52)
			vol. 35/1 (pp. 79-86)
			vol. 37/2 (pp. 660-667)
			vol. 37/1 (pp. 57-64)
			vol. 37/2 (pp. 712-718)
			vol. 37/2 (pp. 434-441)
Technology	vol. 35/2 (pp. 121-128)		vol. 32/1 (pp. 70-74)
Temperature	vol. 35/2 (pp. 184-190)		vol. 32/1 (pp. 70-74)
Temperature range	vol. 35/2 (pp. 191-196)		vol. 35/2 (pp. 162-168)
Tempering	vol. 36/2 (pp. 192-198)		vol. 36/2 (pp. 134-141)
Tensile strength	vol. 37/2 (pp. 408-415)		vol. 32/1 (pp. 23-28)
Tensile test at elevated temperatures	vol. 37/2 (pp. 652-659)		vol. 34/1 (pp. 79-86)
	vol. 37/2 (pp. 698-705)		vol. 36/1 (pp. 33-40)
	vol. 36/2 (pp. 150-159)		vol. 37/2 (pp. 498-504)
	vol. 37/2 (pp. 526-531)		vol. 35/2 (pp. 115-120)
	vol. 36/2 (pp. 192-198)		vol. 37/2 (pp. 668-674)
	vol. 35/2 (pp. 115-120)		vol. 36/1 (pp. 49-56)
	vol. 37/2 (pp. 526-531)		vol. 37/2 (pp. 518-525)
	vol. 32/2 (pp. 179-187)		vol. 37/2 (pp. 416-421)
Testing and calibration laboratory	vol. 35/1 (pp. 37-46)	Tool steel	
Texture and microstructure	vol. 35/1 (pp. 95-102)	Tools for woodworking	
TGA analysis	vol. 36/1 (pp. 18-24)	Transient thermography	
The Polish Quality Award	vol. 35/1 (pp. 7-13)	Transition metal nitride systems	
The Quality Awards	vol. 36/2 (pp. 199-210)		
Thermal analysis	vol. 36/2 (pp. 199-206)		
	vol. 37/1 (pp. 65-69)		

Transition metals	vol. 33/1 (pp. 35-40)	Wear resistance	vol. 36/2 (pp. 134-141)
Transportation effect	vol. 32/1 (pp. 29-36)		vol. 37/2 (pp. 381-380)
Trenchless renovation	vol. 35/1 (pp. 71-78)		vol. 37/2 (pp. 422-427)
Tribological test	vol. 33/1 (pp. 27-34)		vol. 37/2 (pp. 498-504)
TRIP steel	vol. 35/2 (pp. 162-168)	Wear resistant	vol. 37/2 (pp. 354-360)
Tube forming	vol. 37/2 (pp. 498-504)	WEDM	vol. 32/1 (pp. 70-74)
Tungsten and vanadium carbide	vol. 35/2 (pp. 169-176)	Welded joints	vol. 37/2 (pp. 193-212)
Tungsten carbide	vol. 32/1 (pp. 61-65)	Welding	vol. 32/2 (pp. 115-141)
Turbine blades	vol. 37/2 (pp. 213-237)		vol. 32/2 (pp. 196-202)
Turning optimization	vol. 37/1 (pp. 57-64)		vol. 36/2 (pp. 184-191)
Twin roll cater	vol. 32/1 (pp. 66-69)	Welding industry	vol. 37/2 (pp. 644-651)
TWIP-effect	vol. 36/1 (pp. 79-86)	Welding technologies	vol. 36/2 (pp. 207-210)
Ultra fine grained material	vol. 34/2 (pp. 172-179)	Wood	vol. 37/2 (pp. 375-380)
UMSA	vol. 33/2 (pp. 159-165)	Wood processing knives	vol. 37/2 (pp. 694-697)
Underwater explosion (UNDEX)	vol. 33/2 (pp. 166-172)	Worker responsibility and commitment	vol. 37/2 (pp. 690-693)
Uniaxial pressing	vol. 37/2 (pp. 466-479)	Working electrode	vol. 35/2 (pp. 197-203)
Uniformity	vol. 34/1 (pp. 47-54)	Working properties of materials and products	vol. 37/2 (pp. 486-491)
University	vol. 37/1 (pp. 65-69)	Workpiece inclination angle	vol. 32/2 (pp. 188-195)
Ureilite	vol. 37/2 (pp. 556-562)		vol. 33/2 (pp. 142-149)
UV-Vis spectroscopy	vol. 37/2 (pp. 213-237)	X-ray irradiation	vol. 35/1 (pp. 47-54)
Valve system	vol. 37/2 (pp. 759-766)		
Vibrating beam	vol. 37/2 (pp. 751-758)	Y_2O_3 -doped CeO_2	vol. 34/2 (pp. 130-136)
Vibrating shaft	vol. 37/2 (pp. 292-297)	Yield strength	vol. 32/1 (pp. 18-22)
Virtual prototyping	vol. 36/1 (pp. 41-48)	Young's modulus	vol. 33/2 (pp. 150-158)
Visualization	vol. 33/2 (pp. 173-180)		vol. 34/2 (pp. 152-156)
Voigt profile	vol. 34/1 (pp. 55-62)		vol. 37/2 (pp. 458-465)
W319 aluminum alloy	vol. 33/1 (pp. 47-52)	ZM21 magnesium alloy	vol. 32/2 (pp. 188-195)
Warm hydroforming	vol. 36/2 (pp. 160-167)		
Wear	vol. 34/2 (pp. 196-203)	3-omega method	vol. 37/2 (pp. 512-517)
Wear plates	vol. 37/2 (pp. 270-276)	5182 aluminium alloy	vol. 34/2 (pp. 172-179)